

March 2024

Avery Dennison

Fasson

# EXACT™ Update

Includes Splice-Free  
and Ready Width™ Products



800-944-8511  
[label.averydennison.com](http://label.averydennison.com)

## March 2024 EXACT™ Service Program Additions and Removals

### Additions

Spec#	Product Description	Action
19025	DT200HD FSC®/S2501/40#	Add EXACT™ 5K and 10K in GFD

### Removals

Spec#	Product Description	Action
12063	SPXTRA/R130/50#SCK	Remove EXACT™ 5K in NNH
19025	DT200HD FSC®/S2501/40#	Remove EXACT™ 5K and 10K in NNH
53919	60# SGE FSC®/C2580/40#SCK	Remove EXACT™ 10K in TDC
54222	DT 330HD FSC®/S2550/40#SCK	Remove EXACT™ 5K in WCD
B6492	8PT TAG/AT1550/40#SCK	Remove EXACT™ 5K in GFD
B7350	2M CL BOPP TC/S7000ER/1.2M PET	Remove EXACT™ 10K in PTC

Finishing, Packaging and Shipping Standards Update: cradle packing will now be unavailable below 20" combined width due to safety issues.

**Location names have been adjusted to align with internal location names**

**Locations:** DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; NPA-Napa, CA; OAK - Oak Harbor, OH  
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast

**All new programs will have a trial period of 3 months. Programs are subject to change without notice.**

Numbers indicate length of program in thousands of feet (5 = 5,000). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>Prime Paper</b>																
48# Semi-Gloss	AT2550	34#CCK	54298		10											
54# Semi-Gloss FSC®	AT2550	40#SCK		54291	5/10	5/10		5/10	5/10	5/10		5/10	5/10	10	5/10	
	AT20N	.92 Mil PET	53792						10	10						
	C4500	40#SCK		54369	5/10	5/10		5/10/15	5/10	5/10		5/10	5/10	5/10	10	
	C4500	1.2 Mil PET	54372							10						
	AT20N	1.2 Mil PET	19640		10					10		10	10	10	10	
	R5195	46#LF	54116							15						
	S2550	40#SCK	54146		10	10										
	C4510	40#SCK	54413			10										
	C4500	.92 Mil PET	54371							10						
54# Semi-Gloss FasCover2	C4500	40#SCK		54383		5										
60# Semi-Gloss Elite FSC®	C4510	40#SCK		54414		5/10				10		5/10			5/10	
	C4500	40#SCK		54373		5/10		10		5/10		10	5/10		10	
	AT2550	40#SCK		54294	5/10			5/10	5/10	5/10		5/10	5/10	10		
	S246	40#CK		15337	5	5/10				5/10			5/10		10	
	AT3550	40#SCK	B6780		10											
	AT2550	1.02 Mil PET	B7374				10									
	AT20N	1.2 Mil PET	19641		10				10				10		10	
	AT1	40#SCK	15476				5									
	C4500	1.2 Mil PET	54377		5/10	5							10			
	R5195	40#CK	18328		5/10			5/10		5			5/10			
60# Semi-Gloss Elite	C2075	40#SCK	17714			5/10										
	C2580	40#SCK	53919					10				10				
	LP1000	40#SCK	54149				5									
60# Semi-Gloss Elite Piggyback	S2550	40#SCK /40#SCK	B5007		5											
60# Archival Semi-Gloss FSC®	R5195	40#LF	18559		10											6' cores Width: 13"
	S490	40#LF	18392				10									
60# Semi-Gloss Elite™ FasCover™ 2	AT2550	40#SCK	B5626		5											
54# Semi-Gloss ITC	AT2550	40#SCK	54300		5		5/10									
					GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	

**Program Guidelines**

- Roll lengths can vary by +/- 10%.
- The standard lead time for EXACT programs is 3 business days for orders booked before 12:00 pm and 4 business days after 12:00 pm according to the time zone for each site. Orders from Oak Harbor will be shipped in 2 days if placed before 12:00 pm EST.
- Minimum slit width & maximum order size are location-specific.
- Standard pallets. No core labels. One pallet may be identified as containing mixed widths.
- Cradle pack available on 5000' and above programs (with 27" minimum order size per pallet for safety)..
- Arrow stamping not available on EXACT orders.

**Locations:** DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; NPA-Napa, CA; OAK - Oak Harbor, OH  
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>Prime Paper</b>																
60# Semi-Gloss Elite™ ITC FSC®	C4500	40#SCK	54391			RW 5										Width: 13"
	AT2550	40#SCK	54299		5											
High Gloss + FasCover™ 2	AT2550	40#SCK	B5253		5											
60# Gloss	C4500	40#SCK		54380				5/10								
	S246	40#SCK		17411		5/10								10		
	AT2550	40#SCK	B4338		10											
55# Cast Gloss Elite™	C4500	40#SCK		54378		5						10				
	AT2550	40#SCK	54302		5/10											
60# Cast Gloss	AT2550	40#SCK	54301		10							5				
	C2075	40#SCK	17715			5										
	S246	50#CK	07605					5								
	R5195	40#SCK	18445		5											
Pharma Semi Gloss FSC®	S246	40#SCK	54330			5/10/ 15										
	S727	40#SCK	54332				5									
	S727	Ultraliner	54333				5									
	S246	Ultraliner®	54433			7.5									7.5	
	S246	1.2 Mil PET	B6168			10										
Pharma High Gloss	S727	40#SCK	53168				5									
	S727	Ultraliner	53169				5									
Lightweight Pharma Litho	S727	40#SCK	07944					5								
	S727	Ultraliner®	07948				5									
Dairy Print FSC®	C4510	40#NK		54421		10		10	10	10		10		10		
	C4510	40#SCK		54423		5/10										
	C4510	.92 Mil PET		54424		10				10						
50# FM Litho FSC®	Z3000	40#SCK	53645									RW 5			WCD Widths: 4.59375', 6', 10"	
Matte Litho FSC®	AT2550	40#SCK	B4336		10											
	C4500	40#SCK		54384		5				5		5				
	S246	40#CK	03558			5							5			
	R5195	40#SCK	18444		2.5											
8 Pt. Tag	AT2550	40#SCK	B4942		5											
	S246	40#SCK	17698			5										
Red Fluorescent	C4500	40#SCK	54409			3/5/10										
Green Fluorescent	C4500	40#SCK	54406			5										
Orange Fluorescent FSC®	C4500	40#SCK	54407			5										
Chartreuse Fluorescent	C4500	40#SCK	54405			5										
Pink Fluorescent	C4500	40#SCK	54408			2.5										
Bright Silver Foil FSC®	C4500	40#SCK	54385			5										
					<b>GFD</b>	<b>PTC</b>	<b>PFF</b>	<b>QTN</b>	<b>DAL</b>	<b>NNH</b>	<b>NPA</b>	<b>SEA</b>	<b>WCD</b>	<b>MTL</b>	<b>TDC</b>	

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; NPA-Napa, CA; OAK - Oak Harbor, OH  
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>Prime Paper</b>																
Bright Gold Foil FSC®	C4500	40#SCK	54387			3/5										
Dull Silver Foil	AT20	1.2 Mil PET	53459										10			
	C4500	40#SCK	54386			5										
Dissolvable FSC®	S2600	40#SCK	15666						5							
Dispersible Paper FSC®	S2600	40#SCK	54353						10							
Pli-A-Print®	S246	40#CK	08071		2.5											
<b>Wine &amp; Spirits</b>																
100# Silver Hammered Metal	Z2010B	1.2 Mil PET	B5834				RW 2.5									Wine: Width: 13"
100# Copper Hammered Metal	Z2010B	1.2 Mil PET	B5840				RW 2.5									Wine: Width: 13"
47# Estate 8 WS FSC®	Z2010	1.2 Mil PET	B9874				RW 5									Wine: Width: 12"
48# Uncoated Paper	Z2010	1.2 Mil PET	B9875				RW 5									Wine: Width: 12"
54# Semi-Gloss WS FSC®	C4500	40#SCK	B7185			10										
	Z2010	1.2 Mil PET	B9833				RW 5									Wine: Width: 12"
56# MaxFlex™ Bright Silver FSC®	C4500	40#SCK	54394			5/10		10					10		10	
	C2075	40#SCK	53356			10										
	AT20	1 Mil PET	53380		10											Core: 6"
	AT20	1.2 Mil PET	53381		10								10			
	Z2010	44#PK	B5796										RW 5			Widths: 10", 12"
	Z2010	1.2 Mil PET	B5798					RW 5								Wine: Width: 12"
	AT20	40#SCK	53352					10								
60# Cast Gloss	AT20N	1.2 Mil PET	B2504										10			Wine
60# Eclipse Black 30% PCW FSC®	AT20N	1.2 Mil PET	B6665										RW 5			Wine: Width: 12"
60# Estate Label® #4 Wet-Strength FSC®	Z2010	1.2 Mil PET	B5787										5			
	Z2010	44#PK	B5845										5			Wine
60# Estate Label® #8 Wet-Strength FSC®	Z2010	44#PK	B5579										5			Wine
	Z2010	1.2 Mil PET	B5580								5/10			7.5		Wine
	AT20N	1.2 Mil PET	19650					10			5/10					Wine
60# Estate Label® #9 Wet-Strength FSC®	Z2010	44#PK	B5848				5					5			Wine	
60# Estate Label® #25 Black Wet-Strength FSC®	Z2010	1.2 Mil PET	B5804										5			
	Z2010	1.2 Mil PET	B5786										10			
60# Classic Crest® Solar White Wet-Strength FSC®	Z2010	44#PK	B5849									5	5			Wine
	AT20N	1.2 Mil PET	19648										5/10			
	Z2010	1.2 Mil PET	B8581										10			
60# Semi-Gloss Elite™	AT20N	1.2 Mil PET	19655		10						10					Wine
	Z2010	44# PK	B8863										5			Wine
	Z2010	1.2 Mil PET	B5797										10			Wine

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; NPA-Napa, CA; OAK - Oak Harbor, OH  
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>Wine &amp; Spirits</b>																
60# Classic Crest® Natural White Wet-Strength FSC®	Z2010	44#PK	B5784										5			
60# Classic® Laid Solar White Wet-Strength FSC®	Z2010	44#PK	B5850										5			
Classic® Felt Natural White Wet-Strength FSC®	Z2010	44#PK	B5844										5			
	Z2010	1.2 Mil PET	B5810										5			
70# Eggshell Felt Wet-Strength FSC®	Z2010B	44#PK	B8849				5					5	5			Wine
	Z2010B	1.2 Mil PET	B5581								5/10					6" cores: NPA 10K
70# Bright White Felt Wet-Strength FSC®	Z2010B	44#PK	B5815				5						5			
	Z2010B	1.2Mil PET	B5584				5				10				10	6" cores: NPA, TDC
70# Titanium White Eggshell Wet-Strength FSC®	Z2010B	1.2Mil PET	B8881										RW 5			Wine: Width: 12"
60# Matte Litho WN	Z2010	1.2 Mil PET	B5792										5			Wine
60# Matte Litho Wet-Strength	AT20	44#PK	19298									5				Wine
60# Uncoated Litho Wet-Strength FSC®	Z2010	1.2 Mil PET	B5582										10			
	AT20N	1.2 Mil PET	19993				10				10					
60# Uncoated Litho Wet-Strength/OPP Weld	AT20N	1.2 Mil PET	53007								10					6" Core
60# White Hemp Wet-Strength	AT20N	1.2 Mil PET	B3912				RW 5									Width: 12"
60# Estate Label® #8 Bright White Wet-Strength FSC® / PET Weld	Z2010B	1.2 Mil PET	B5583										RW 5			6" Core: Wine: Widths: 10" & 12"
60# Estate Label #8 WS FSC® / Weld*	AT20N	1.2 Mil PET	53476								10					
70# Bright White Felt Wet-Strength FSC® / Weld	Z2010B	44#PK	B5820										5			Wine
70# 100% Pure Cotton Wet Strength	Z2010B	1.2M PET	B5779				RW 5									Width: 12"
70# 25% Cotton Feel 30% PCW Wet Strength	Z2010B	1.2 Mil	B5780				RW 5									Width: 12"
70# Veil 30% PCW WS FSC®	Z2010B	1.2 Mil PET	B8485				RW 5									Width: 13"
70# Willow 100% PCW WS FSC®	Z2010B	1.2 Mil PET	B8486				RW 5									Width: 13"
70# Houndstooth 30% PCW WS FSC®	Z2010B	1.2 Mil PET	B8487				RW 5									Width: 13"
<b>Prime Films - Conformables</b>																
High Performance FasClear® TC	S7000ER	1.2 Mil PET	B8019					10					5			Full-Squeeze
High Performance PRIMAX® TC	S7000ER	1.2 Mil PET	B7735					10								Full-Squeeze
	S692N	1.2 Mil PET	B8162		10											
IF Metallized PRIMAX® 250	S1000	44#PK	75312				2.5									Full-Squeeze
					GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; NPA-Napa, CA; OAK - Oak Harbor, OH  
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>Prime Films - Conformables</b>																
3.0 Mil Clear MDO	S692N	1.2 Mil PET	77964		10											Full-Squeeze 6" Core
	S692N-ER	1.2 Mil PET	B7804		10											
	S692N	40#BG	78097		10										10	Full-Squeeze
	S692N-ER	40#BG	B7803		10											Full-Squeeze
3.0 Mil White MDO	S692N	1.2 Mil PET	77980		10				10							Full-Squeeze
	S692N-ER	1.2 Mil PET	B7801		10											
	S692N	44#PK	77988				5									
	S692N	40#BG	78098		5/10										10	
	S692N-ER	40#BG	B7800		10											
SF Crystal Fasclear® TC	S2001	1.5 Mil PET	B8163				10									
FasClear® 250	S692N	1.2 Mil PET	77234					10								Full-Squeeze
	S692N	44#PK		76908			5					7.5				
PRIMAX® 250	S692N	44#PK		76905			5						7.5			
	S692N	40#BG	76994		5								5			
PRIMAX® 350	S692N	44#PK	76904				5						5			Full-Squeeze 6" Core WCD
	S692N	1.5 Mil PET	76990					5								Full-Squeeze
	R143	50#SCK	77967				5									
PE 85 Clear NTC	S692N	1.2 Mil PET	76957					15								Full-Squeeze
	S692N-ER	1.2 Mil PET	B7789					15								Full-Squeeze
Global MDO Clear NTC	S7000ER	PET 23	B7725					15								Semi-Squeeze
Global MDO Next Gen Clear	S7000ER	.92 PET	B7656					15								Semi-Squeeze 6" Cores
Global MDO Next Gen White	S7000ER	.92 PET	B7657					15								6" Core
Global MDO White	S7000ER	PET 23	B7730					15								Semi-Squeeze
Global MDO Clear TC	S7000ER	PET 23	B8021					15		15						Semi-Squeeze 6" Core
Global MDO White TC	S7000ER	PET 23	B8020					15								Semi-Squeeze
Global Co-Ex™ Clear NTC	S692N	PET 30	77178					10								Semi-Squeeze
	S692N-ER	PET 30	B7797					10								Semi-Squeeze
Global Co-Ex™ Clear TC	S692N	PET 30	77381					10								Semi-Squeeze
	S692N-ER	PET 30	B7796					10								Semi-Squeeze
Global Co-Ex™ White NTC	S692N	PET 30	77179		10			10								Semi-Squeeze 6" Cores
	S692N-ER	PET 30	B7794		10			10		10						
Global Co-Ex™ White TC	S692N	PET 30	77382					10		10						Semi-Squeeze
	S692N-ER	PET 30	B8022							10						Semi-Squeeze
					GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; NPA-Napa, CA; OAK - Oak Harbor, OH  
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments	
<b>Rigid Films</b>																	
1.6 Mil Clear BOPPTC	S7000ER	.92Mil PET	B7754		15			15					15			6" cores	
	S7400ER	.92Mil PET	B7351		20								20			6" cores	
1.6 Mil Clear BOPPTC	S7400ER	.92 Mil PET	B7775		20											6" cores	
1.6 Mil Metallized BOPPTC	S7000ER	.92 Mil PET	B7766					15								3" cores	
2 Mil Clear BOPPTC	S7000ER	40#BG	B7348		5/10	10		5/10				5/10	5/10		10		
	S692N	40#BG	77008		5/10								5		10		
	S692N-ER	40#BG	B7347		10								5		10		
	S7000ER	1.2 Mil PET	B7350		5/10			10					10			6" cores QTN/WCD	
	S692N	1 Mil PET	53704		10											6" core	
	S692N	1.2 Mil PET	77138		5/10			10								6" cores	
	S692N-ER	1.2 Mil PET	B7349		10											6" cores	
	S7000ER	.92Mil PET	B7744		10											6" core	
	S7400ER	.92Mil PET	B7781		10/20			20						10			GFD, QTN: 6" cores WCD: 3" cores
	S2001	1.5 Mil PET		75386				10						7.5/10			NNH 3" cores; PFF and WCD: 6" cores;
	S2001	44#PK	74477					5		10							
	S3000	1.5 Mil PET	74279					5/10									6" cores on 10K only
	R3500	40#SCK	78148							5							
	C2075	40#BG	78179				10										
	R3500	1.2 Mil PET	B2809							15							
S717P	1.2 Mil Poly	B3582					5										
S2350	.92M Poly	79761						10									
2 Mil Clear BOPPTC	S7000ER	40#BG	B7745		5												
2 Mil Clear Polystyrene	S246	40#SCK	12323			10											
2 Mil White BOPPTC	S7000ER	.92 Mil PET	B7741					15		15						6" cores	
	S7000ER	40#BG	B7753		5/10								10			3" cores	
	S7000ER	1.2 Mil PET	B7740		10			10					10			WCD/GFD: 3" cores; QTN: 6" cores	
2.3 Mil White BOPPTC	R3500	40#SCK	78149				5										
	S692N	40#BG	78333		5/10							10					
	S692N-ER	40#BG	B7760		10							10					
	S692N	1.2 Mil PET	78330		5/10			5/10		5/10			5/10				
	S692N-ER	1.2Mil PET	B7761		5/10			5/10					10				
	R3500	1.2 Mil PET	77461							10							
	AT2550	1.2 Mil PET	B8303							10							
2.3 Mil White TC PP	C0196	40#BG	77392							RW 1.7						Width: 6.5"	



Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>Rigid Films</b>																
2.4 Mil White BOPP TC	S7400ER	.92 Mil 30% rPET	B7784		10											
	S692N	1.2 Mil PET	B3136							10			10			
	S692N	40#BG	B3255							5/10			10		10	
	S692N-ER	40#BG	B7756							5					10	
	S7000ER	.92 Mil PET	B7750					15								
	S7000ER	40#BG	B7729		5/10	5/10		5/10	5/10	5/10		5/10	5/10		5/10	
	S7000ER	1.2 Mil PET	B7655		10	10		10		10		10	10			
	S7400ER	1.2 Mil PET	B7771		10											
	AT20N	40#BG	79102				10						10			
2.4 Mil White BOPP ITC	S7000ER	40#BG	B7751		5/10											
	S692N	40#BG	78994		5											
	S692N-ER	40#BG	B7759		5											
SF 2.4 Mil White BOPP NTC	S692N	40#BG	B3138		5											
SF 2.6 Mil White BOPP NTC	S692N	40#BG		76912	5											
	S692N-ER	40#BG	B7815		15											
2.6 Mil White BOPP TC	S727	1.2 M PET	79059				5									
	FA20	40#SCK	75413			5										
	C4510	40#SCK		79954					5/10	10		10				
	C4510	0.92 Mil	B9116			10										
	C2075	40#SCK	78200			10										
	S246	1.2 Mil PET	77532			5										
	S692N	1.2 Mil PET	78146							10						
	S692N-ER	1.2 Mil PET	B7693							10						
	S692N	1.5 Mil PET	76999					5/10					10			3" cores
	S692N-ER	1.5 Mil PET	B7825					5/10								3" cores
	S692N	40#BG		76910						5/10		5/10	5/10		10	
	S692N-ER	40#BG	B7816							5/10			10		10	
	S246	40#SCK	75607			5										
	AT20	40#SCK	76684				10									
	C4500B	1.2 Mil PET	79949			10										
2.6 Mil White BOPP NTC	S7400ER	.92 Mil PET	B7782		10			20								6" cores
2 Mil Metallized BOPP TC	S7000	40#BG	79101			10	10						10		10	
	S692N	1.2 Mil PET	77269		10											
	S692N-ER	1.2 Mil PET	B7763		10											
	S692N	40#BG	77036						10							
	S7000ER	1.2 Mil PET	B7764		10			10					5/10			WCD 5K/GFD: 3" cores; WCD 10K/QTN: 6" cores
3 Mil Matte White BOPP TC	AT20N	40#SCK	77609				10									
2 Mil Totally Seamless Rainbow BOPP	S692N	40#SCK	B5352				5									

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; NPA-Napa, CA; OAK - Oak Harbor, OH  
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>Thermal Transfer/Direct Thermal Film</b>																
3 Mil Direct-Therm BOPP	AT2550	40#SCK	B2866		5/10											
4 Mil Direct-Therm BOPP	AT2550	40#SCK	B3041		10											
<b>Thermal Transfer/Durable/Vinyl Film</b>																
1 Mil Clear PET TC	S730	1Mil PET	77855							5						
	S8020	40#BG	77841				2.5/5									
1 Mil Clear Print-Treated PET	S8020	40#BG	77844				2.5/5						2.5			
	S8020	1Mil PET	77955							2.5						
2 Mil White Print-Treated PET	S333	50#SCK	72828				5						5			
	S730	50#SCK	82737							2.5						
	R143	50#SCK	71055							2.5						
2 Mil White PET TC	S333	50#SCK	72825				5		5							
	S730	50#SCK	40443							5			2.5			
	S8001	50#SCK	78385				5									
	S8015	50#SCK	76656							1.7/5						All 1.7 length programs are actually 1668'
	S8025	50#SCK	77920				5									
	S8049	50#SCK	79453				2.5									
2 Mil White Hi-Temp Topcoated Polyimide	S3272	55#BG	77502				RW 1.64									Widths: 4.5", 9"
2 Mil White Void PET TC	S8015A	50#SCK	B6003							1.7						
2 Mil Silver Void PET TC	S8015	50#SCK	78195							1.7						
2 Mil Clear Print-Treated PET	S333	50#SCK	72829				2.5									
	S730	50#SCK	61319							1.7						
2 Mil Clear PET TC	S333	50#SCK	72823							2.5						
	S730	50#SCK	61320							1.7						
	S8025	50#SCK	77921							5						
2 Mil White PET TCD	S8025	50#SCK	78981				5									
2 Mil Bright Chrome PET TC	S333	50#SCK	72824							2.5						
	S8025	50#SCK	77923							5						
2 Mil Matte Chrome Polyester TC	S333	50#SCK	72826							5			2.5			
	S8001	50#SCK	78387							5						
	S8025	50#SCK	77922							5						
	S8015	50#SCK	76660							1.7						
2 Mil Brushed Chrome Polyester TC	S333	50#SCK	73303						1.7							
4 Mil White Flexible Vinyl TC	S4600	50#SCK	73952				3.3									
	S730	50#SCK	40087				2.5/5						2.5			
Tamperfas™ Satin Vinyl	S730	50#SCK	79449				1.7									
TransCode® White	S475	50#SCK	72197				5						5			
TransCode® Plus White	S4905L	50#BRN	B6145				7.5									
3 Mil White Synthetic Paper	S333	50#SCK	75570				5/10						5/10			
	S4600	50#SCK	76693				5									
	S8001	50#SCK	78401				5						10			
	C2580	40#SCK	79520					10								
Smudgeproof Kimdura®	S4600	50#SCK	79572				5									
	S4650	50#SCK	B8560				5									
					GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; NPA-Napa, CA; OAK - Oak Harbor, OH  
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000'). RW = Ready Width™

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>Thermal Transfer/Durable/Vinyl Film</b>																
SCANback™	S730	50#SCK ABC	73739				RW 2.5									Widths: 6.5", 8.5"
3 Mil Velvet LEXAN™	S730	1.5 Mil PET	75849							1.7						
5 Mil Velvet LEXAN™	S730	1.5 Mil PET	75850							1.7						
2 Mil Clear BOPP TC	S4905L	40# SCK	B7195				5									
2.3 Mil White BOPP TC	S8001	50#SCK	78403							5						
	S6600	50#SCK	77536				5									
2.3M WH BOPP TC2000	S8001	50#SCK	C0733							5						
	S6600	50#SCK	C0732				5									

<b>Thermal Transfer/Paper</b>																
Trans-Therm® C-ECO FSC®	S1550	1.7 Mil SCK	54341		20											
Trans-Therm® C FSC®	S2550	40# SCK		53870	7.5/15				15	15			15	15		
	S2550	40# SCK		53872	5/10/20	5/10			5/10	10		10	10	5/10	10	
	S2550	1.2M PET	B7597		10											
	AT2550	40#CK	54314		10/15									15		
Trans-Therm® C RPC	S1550	1.7 Mil SCK	C0570		10											
Trans-Therm® 1C FSC®	S246	40#CK	13605		7.5											
	S2550	40#SCK		54091	5/10	10		5/10	5/10	5/10		5/10	5/10		10	
	AT2550	40#SCK		54312	5/10					10			5/10		10	
	R5195	40#CK	18327		10				10							
	R423	40#SCK	98203				5									
Trans-Therm® 1C FSC Piggyback FSC®	S2550	40#/40#SCK	B5661		5											
Trans-Therm® 1C FasCover™ 2 FSC®	AT2550	40#CK	B6853		5											
Trans-Therm® 2C FSC®	S246	40#SCK	08027		10											
	S2550	40#SCK		53873	5/7.5/15											
	LP1000	40#SCK	B7699				5									
Trans-Therm® 2	S246	40#SCK	02116				5									

<b>Direct Thermal Paper</b>																
Direct-Therm 300LD FSC®	S2550	40#SCK		54061	7.5/15	7.5/15			15			7.5/15	7.5/15		10	Low Durability
	S2550	1.7 Mil SCK	C0817		10											
	AT2550	40#		54315	7.5/10/15	15				15				10/15		
	AT2550	1.7 Mil SCK	54451		15											
Direct-Therm 200GP FSC®	S2550	40#SCK	54036		5/10								10	5/10		General Purpose
	S2550	40#SCK	54037		15											
	AT2550	40#SCK	54317		5/10	10						5/10	5/10	10		
	AT2550	40#SCK	54318		15				15							
	AT2550	1.7 Mil SCK	54348		15											
	C4510	40#SCK		54428		5/10									10	
	R5195	40#CK	18558		7.5/15									10		
					GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>Direct Thermal Paper</b>																
Direct-Therm 200HD FSC®	AT2550	40#SCK	54319		5/10	10			10	10		5/10	10		10	High Durability
	LP1000	40#SCK	54148				5									
	S2550	40#SCK	54221		5/10											
	S2501	40#CK	19025		5/10											
Direct-Therm 200HD Plus	R5195	40#CK	18685		5					10						High Durability
	S2550	40#SCK	54220		10/15							5/10				
Direct-Therm 200HD RX	S2501	40#SCK	54247		10/15											Prescription
Direct-Therm 330TM FSC®	S9010N	40#CK	53710		5/10											Tight Mandrel
Direct-Therm 300HD FSC®	AT2550	40#SCK	54320		5/10											High Durability
	FA20B	40#SCK	15862			5										
Direct-Therm 330 HD	S2550	40#SCK	54222		10											
Direct-Therm 300 NIR	S2550	40#SCK	54219		5											Near IR
Direct-Therm 300 RPC	S1550	1.7 Mil SCK	C0569		10											
<b>Laser/EDP</b>																
50# DSX™ FSC®	S9010N	50#CK		53138	5/10											
				53139	15											
	AT2550	50#CK		54296	7.5/15							7.5				
	R5195	50#CK	18329		10											
	S9010N	45#BK		19046	10											
50# DSX™ FSC® Piggyback	S2550	40# /50#SCK	B6154		RW 10											Widths: 6.25", 9.25"
	S4600	66#	54162							5						
2M White Laser PET	S4650	66#PK	B4101							5						
	S9010N	46#LF	18884		10				10				10		10	6" cores
Laser Copy™ Jet 300 FSC®	S9010N	46#LF	53698		15											6" cores
			S9010N	44#LF	18117		10									6" cores
	S8511	46#LF	18447				10								6" cores	
	R5195	46#LF	18303		10							10			6" cores	
	AT2550	46#LF	B8392		10											6" cores
	S4600	79#MF	78037				5		5				RW 5			3" cores DAL/WCD; 6" core PFF Width: 9"
Laser Code™ Drum Label	S4600	79#MF	78026				RW 7.5									6" cores; Width: 9"
Laser Code™ II 3480XX NTC	R120	80#CC	79718				RW 7.5									6" cores; Widths: 9", 11"
34# Translucent	S2501	40#SCK	B5313				15									
Standard Laser-Rite™	R5423	50#MF	18345		10											6" cores
Laser-Rite™ Durable FSC®	R5423	50#MF	53763		10											6" cores
Scrip Label	S9010N	46#LF	18890		10											6" cores
					GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	

Fasson® Facestock	Adhesive	Liner	Spec#	Splice-Free#	GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>UV Inkjet</b>																
55# Semi-Gloss UV Inkjet	AT2550	40#SCK	B5251		5											
3 Mil Matte White C Synthetic	S333	50#SCK	79865				10									
<b>Water-Based Inkjet</b>																
Demand Jet™ 500HG	AT20	40#SCK	53109							2.5						
	S2501	40#SCK	53110					2.5/5/7.5								
Premium Matte Inkjet	AT2550	40#SCK	B6889		2.5											
	S2501	41# LF	53708		2.5											
Gloss White BOPP WBIJ	S7000	40#BG	79659				2.5									
5 Mil Matte White Drum Label	S4600	50#SCK	79348				5									
	S4650	50#	B4102				5									
3 Mil Matte White Synthetic	S8001	50#SCK	79404				2.5									
3.5 Mil Matte White Synthetic	S4600	50#SCK	79724				10									
	S4650	50#SCK	B8559				10									
					GFD	PTC	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	

Fasson® Facestock	Spec#	GFD	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	Comments
<b>Fasson® Rapid-Roll®</b>												
60# C1S Semi-Gloss Elite™ FSC®	54450					10						
60# C2S Semi-Gloss FSC®	54457					10			10			
100# White Tag	16836					10						6" Core
8 Pt. C1S RR Brite White FSC®	B4478					7.5						
8 Pt. C1S Semi-Gloss® FSC®	B4485					10						
10 Pt. C1S RR Brite White FSC®	B4480					7.5						
10 Pt. C1S Semi-Gloss® FSC®	B4486					7.5						
12 Pt. C1S RR Brite White FSC®	B4481					5						
14PT C1S SEMI-GLOSS FSC®	B9666					5						
8 Pt. C2S RR Brite White FSC®	B4482					7.5						
10 Pt. C2S RR Brite White FSC®	B4483					7.5						
3 Pt. C1S Thermal Transfer FSC®	53751					10						
5 Pt. C1S TT FSC®	53752					10						
7.5 Pt. Uncoated Thermal Transfer	16816					5						
5 Pt. C1S Integrity Thermal Transfer	16817					10						
7 Pt. C1S Thermal Transfer FSC®	53753					7.5			7.5			
7 Pt. C1S Integrity Thermal Transfer	16786					7.5						
8 Pt. C2S Thermal Transfer w/OB FSC®	53745					7.5						
10 Pt C1S+ Thermal Transfer OB FSC®	C0275					10						
7.5 Pt. Direct-Therm 200HD FSC®	B2399					7.5						
50M Clear High Shrink PETG	79765			10/20	10							6" cores QTN
1025DR Tyvek®	79108					5						
1085D Tyvek®	75724					5						
7.5 Mil C2S Valeron®	75728					7.5						
7.5 Mil V-Max® Select™	75947					5			5			
7.5 Mil HS HDPE	B0930					5						
6 Mil Polyolith® GC-3	78251					7.5						
7 Mil Polyolith® GC-3	78232					10						
10 Mil Polyolith® GC-2	75736					5						6" cores
25# PFFP w/Surlyn FSC®	B4986					7.5						
25# FSC PFFP	C0650					10						
35# FSC PFFP	C0651					10						
White StickPak Surlyn® 280HB	79343								10			
Clear Multi-Ply Snack Web 260 HB	79125					5						
White Metallized Snack Web	79355					10						
Metallized Coffee Web	79426					10						
WH 86G CELLO STICKPACK SURLYN HB PLUS	B9543					10						
White Cosmetic Web 350 HB	79332					10			10			6" cores in WCD
White Cosmetic Web 350 SB	75758					10			10			
Silver Cosmetic Web 350 HB	79333					10						
White Cosmetic Web Ultra	77553					10						
White Cosmetic Web Ultra Plus	79334					10						
White Stand Up Pouch 360 HB	79935					5						6" cores
		GFD	PFF	QTN	DAL	NNH	NPA	SEA	WCD	MTL	TDC	

Locations: DAL-Dallas, TX; GFD-Greenfield, IN; MTL-Montreal; NNH-Neenah, WI; NPA-Napa, CA; OAK - Oak Harbor, OH  
 PFF-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TDC-Toronto; WCD-West Coast  
 Numbers indicate length of program in thousands of feet (5 = 5,000). RW = Ready Width™

	Spec#	OAK	NNH	SEA	WCD	TDC	Comments
<b>Overlaminates</b>							
404 - CLASSIC EXACT S/W BOPP	B9077	5/10		5/10		RW10	RW 10 in TDC: 13, 7.75, 8.25, 5.5, 10.5, 8.5, 9, 11.5, 7.75, 9.5, 12.25, 11, 7.5, 6.25, 8.75, 9.25, 9.75, 6, 8, 11.75, 6.5, 10
410 - CLR S/W BOPP	B9082	5/10/20	5/10				
1106 - 0.95MIL SUPERTHIN MAT	B9331	10					
320 - .71 MIL MATTE S/W BOPP	B9332	5/10		10			
1132 - TTP SUPERTHIN	B9334	5					
505F - 1 MIL CLR S/W BOPP	B9337	10					
643 - .5 MIL SOFSENS 643 PET	B9339	5					
609 - 1 MIL CLR S/W PET MR	B9353	5					
410C - CLR S/W BOPP	B9364	10					
505B - 1 MIL CLR S/W BOPP	B9366	5	5				
505T - 1 MIL CLR BOPP TT PRTBL	B9367	5/10		5			
505C - 1 MIL CLR S/W BOPP	B9369	5					
505E - 1 MIL CLR S/W BOPP	B9371	10					
700E - 2 MIL CLR S/W BOPP	B9372	5					
1206 - MATTE OL TAPE	B9374	10					
1194 - SUPERTHIN	B9406	5/10					
610T - 1 MIL CLR S/W PET TT	B9416	5		5			
531 - 1 MIL MATTE S/W BOPP	B9424	5/10	5/10	5/10		RW5	RW 5:13"
410CC - CLR S/W BOPP	B9430	10					
410CST - CLR S/W BOPP CST	B9431	5					
531T - 1 MIL MATTE S/W BOPP TT	B9432	5/10					
410DIG - DIG CLR S/W BOPP	B9436	5					
531DIG - 1 MIL DIG MATTE S/W BOPP	B9437	5					
1200 - BASIC OL	B9441	10					
		<b>OAK</b>	<b>NNH</b>	<b>SEA</b>	<b>WCD</b>	<b>TDC</b>	

Fasson EXACT™ and Fasson Ready Width™ are powerful service programs designed to help you acquire just the material you need. Achieve reduced scrap, lower inventory costs, reduced freight, and better operational efficiencies – making your wallet and our world a little bit greener.

**800-944-8511 • label.averydennison.com**

[label.averydennison.com](https://label.averydennison.com)

A3899059 3/2024

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison products are sold subject to Avery Dennison's general terms and conditions of sale found at [label.averydennison.com/en/home/terms-and-conditions.html](https://label.averydennison.com/en/home/terms-and-conditions.html).



©2023 Avery Dennison Corporation. All rights reserved. Avery Dennison® is a registered trademark of Avery Dennison Corporation. Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation.