

2024 Wine, Spirit and Premium Labeling Portfolio



New Sustainable Label Materials

Our new offerings deliver a premium look all with 30% recycled content materials.

C1301 Fasson® 70# Bright White Felt 30% PCW Wet-Strength FSC®/Z2010B/1.2 MIL PET
C1300 Fasson® 60# Estate #8 30% PCW Wet-Strength FSC®/AT20N/1.2 MIL PET
C1329 Fasson® 60# Estate #17 Martele 30% PCW Wet-Strength FSC®/AT20/1.2 MIL PET





Material: Copper Hammered Metal

Top Shelf Trends

The dynamic benefits PS label materials allow brands to capitalize on design trends, keep consumers engaged and their packaging vibrant. The following are a few PS labeling trends that continue to impact the wine, craft and spirits segment.

Tactile Labels

One of the strongest emerging trends takes design beyond the visual, and into the tactile space. Embossing is big, and designers seem to be stretching creatively by using thicker facestocks and specialty materials such as wood veneer, leather-feel, varnished, and metal foil.

Labels That Stand Up to Wet Environments

Designers seem to have an expanded definition of “shelf appeal.” They understand it’s not simply how the label looks on a store shelf, but how it looks throughout its lifetime. This means making sure even an uncoated facestock avoids greying, wilting, or peeling when it’s on ice.

The Label as an Extension of the Brand

In the competitive wine landscape, brand owners know the label is the main point of contact with the consumer. It’s not simply a “tag” that identifies the maker of the wine. It’s a canvas that connects with the buyer through striking visuals, graphics, and compelling storytelling.

For more information, visit label.averydennison.com/wineandspirits

Uncork Sustainability

What pairs perfectly with a wine label? Materials that are recycled and responsibly sourced. Our Cotton, Hemp and Barley facestocks are made with recycled material, giving brands a compelling story, and consumers one more reason to feel good about their favorite vintage.

Cotton Range

Our Cotton Range reminds consumers of all they love about cotton, with a look and feel that begs to be touched. Choose from materials made with 25 to 100 percent cotton for tactility ranging from simply soft to almost plush. Colors include white, and deep black.

Renewable Range

From organic waste to a label - the renewable range includes hemp and barley facestocks which allow brands to meet the demands for label materials containing both organic materials and recycled content.

Materials with Recycled content

We offer a wide range of materials made with 25 to 100 percent post consumer waste content.



For more information and lead times, visit label.averydennison.com/wineandspirits

Spec#	Product Description
Uncoated Papers	
19993	Fasson® 60# Uncoated Litho Wet-Strength FSC®/AT20N/1.2 Mil PET
B5582	Fasson® 60# Uncoated Litho Wet-Strength FSC®/Z2010/1.2 Mil PET
54104	Fasson® 60# Uncoated Litho Wet-Strength FSC®/Z1010/1.2 Mil PET
B5787	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC®/Z2010/1.2 Mil PET
19651	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC®/AT20N/1.2 Mil PET
54142	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC®/Z1010/1.2 Mil PET
B5845	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC®/Z2010/44#PK
19650	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC®/AT20N/1.2 Mil PET
15952	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC®/AT20/44#PK
B5580	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC®/Z2010/1.2 Mil PET
B5579	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC®/Z2010/44#PK
B8676	Fasson® 80# Estate Label® No. 8 Wet-Strength FSC®/Z2010/1.2 Mil PET
54141	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC®/Z1010/1.2 Mil PET
10449	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC®/S246/40#SCK
B5801	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC®/Z2010/1.2 Mil PET
B5848	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC®/Z2010/44#PK
54186	Fasson® 60# Estate Label® No. 14 FSC® 100% PCW Wet-Strength AT20N/1.2 Mil PET
B5803	Fasson® 60# Estate Label® No. 17 Martele Wet-Strength FSC®/Z2010/1.2 Mil PET
B5842	Fasson® 60# Classic® Linen Solar White Wet-Strength FSC®/Z2010/44#PK
B5786	Fasson® 60# Classic® Crest® Wet-Strength FSC®/Z2010/44#PK
B5850	Fasson® 60# Classic® Linen Solar White Wet-Strength FSC®/Z2010/1.2 Mil PET
B5849	Fasson® 60# Classic® Crest Solar White Wet-Strength FSC®/Z2010/44#PK
B8581	Fasson® 60# Classic® Crest® Solar White Wet-Strength FSC®/Z2010/1.2 Mil PET
18513	Fasson® 60# Classic® Crest® Solar White Wet-Strength FSC®/AT20N/44#PK
19648	Fasson® 60# Classic® Crest® Solar White Wet-Strength FSC®/AT20N/1.2 Mil PET
B5838	Fasson® 70# Classic® Crest® Solar White Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5852	Fasson® 60# Classic® Crest® Natural White Wet-Strength FSC®/Z2010/1.2 Mil PET
B5784	Fasson® 60# Classic® Crest® Natural White Wet-Strength FSC®/Z2010/44#PK
B5835	Fasson® 70# Classic® Felt Natural White Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5844	Fasson® 60# Classic® Felt Natural White Wet-Strength FSC®/Z2010/44#PK
B5810	Fasson® 60# Classic® Felt Natural White Wet-Strength FSC®/Z2010/1.2 Mil PET
54170	Fasson® 60# Classic® Felt Natural White Wet-Strength FSC®/AT20N/44#PK
54171	Fasson® 60# Classic® Felt Natural White Wet-Strength FSC®/AT20N/1.2 Mil PET
B8849	Fasson® 70# Eggshell Felt Wet-Strength FSC®/Z2010B/44#PK
B5581	Fasson® 70# Eggshell Felt Wet-Strength FSC®/Z2010B/1.2 Mil PET
B8881	Fasson® 70# Titanium White Eggshell Wet-Strength FSC®/Z2010B/1.2 MIL PET
B5584	Fasson® 70# Bright White Felt Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5815	Fasson® 70# Bright White Felt Wet-Strength FSC®/Z2010B/44#PK
54143	Fasson® 70# Bright White Felt Wet-Strength FSC®/Z1010/1.2 Mil PET

For more information and lead times, visit label.averydennison.com/wineandspirits

Spec#	Product Description
54189	Fasson® 60# Crush 15% Grape 40% PCW Wet-Strength FSC®/AT20N/1.2 Mil PET
54481	Fasson® 60# Crush 15% Barley 40% PCW Wet-Strength FSC®/AT20/1.2 Mil PET
54480	Fasson® 60# Crush 15% Citrus 40% PCW Wet-Strength FSC®/AT20/1.2 Mil PET
B3912	Fasson® 60# 25% White Hemp 75%PCW Wet-Strength FSC®/AT20/1.2 Mil PET
B5795	Fasson® 60# Luna Wet-Strength FSC®/Z2010/1.2 Mil PET
B5821	Fasson® 70# Royal White Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5836	Fasson® 74# Global White Wet-Strength FSC®/Z2010B/1.2 Mil PET

Black Collection

B5856	Fasson® 60# Black Vellum Wet-Strength FSC®/Z2010/44# PK
B5799	Fasson® 60# Black Vellum Wet-Strength FSC®/Z2010/1.2 Mil PET
B5801	Fasson® 70# Classic® Laid Epic Black Wet-Strength FSC®/Z2010B/1.2 Mil PET
B6665	Fasson® 60# Eclipse Black 30% PCW Wet-Strength FSC® /AT20N/1.2Mil PET
B5804	Fasson® 60# Estate Label® No. 25 Black Wet-Strength FSC®/Z2010/1.2 Mil PET
B5781	Fasson® 70# 25% Black Cotton Feel 30% PCW Wet-Strength/Z2010B/1.2 Mil PET

Luminous Collection

53663	Fasson® 67# Brushed Platinum Wet-Strength/AT20N/1.2 Mil PET
53301	Fasson® 60# Frozen Orion Diamond Wet-Strength FSC®/AT20/1.2 Mil PET
19923	Fasson® 60# Frozen Orion Diamond Wet-Strength FSC®/AT20/44#PK
B9678	Fasson® 64# Sparkling Asti Wet-Strength FSC®/Z2010/1.2 Mil PET
B5775	Fasson® 74# Snowbound White 40% PCW Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5794	Fasson® 64# White Pearl Wet-Strength FSC®/Z2010/1.2 Mil PET
53607	Fasson® 64# White Pearl Wet-Strength FSC®/AT20N/1.2 Mil PET
B5783	Fasson® 60# White Shursheen/Z2010/44#PK

Sensorial Collection

B8484	70# Brushstroke 30% PCW WS FSC®/Z2010B/1.2 Mil PET
B8485	70# Veil 30% PCW WS FSC®/Z2010B/1.2 Mil PET
B8486	70# Willow 100% PCW WS FSC®/Z2010B/1.2 Mil PET
B8487	70# Houndstooth 30% PCW WS FSC®/Z2010B/1.2 Mil PET
53662	Fasson® 128# Birch Wood/AT20N/1.2 Mil PET
53605	Fasson® 119# Cherry Wood/AT20N/1.2 Mil PET
B5577	Fasson® 80# Cotton White Tree Free Wet-Strength/Z2010B/1.2 Mil PET
B5805	Fasson® 60# Dappled White Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5779	Fasson® 70# 100% Pure Cotton Wet-Strength/Z2010B/1.2 Mil PET
B5781	Fasson® 70# 25% Black Cotton Feel 30% PCW Wet-Strength FSC®/Z2010B/1.2 Mil PET
B5780	Fasson® 70# 25% Cotton Feel Wet-Strength/Z2010B/1.2 Mil PET
B5834	Fasson® 100# Silver Hammered Metal FSC®/Z2010B/1.2 Mil PET

For more information and lead times, visit label.averydennison.com/wineandspirits

Spec#	Product Description
B5840	Fasson® 100# Copper Hammered Metal FSC®/Z2010B/1.2 Mil PET
79727	Fasson® Stoneface/S333/40#SCK
B6870	Fasson® Stoneface/S333/1.2 Mil PET
Neck Labels	
B9833	54# Semi-gloss WS FSC/Z2010/1.2 Mil PET
B9874	47# Estate 8 WS FSC/Z2010/1.2 Mil PET
B9875	48# Uncoated/Z2010/1.2 Mil PET
B5798	Fasson® 56# MaxFlex™ Bright Silver FSC®/Z2010/1.2 Mil PET
Matte Litho (Coated) Papers	
B5791	Fasson® 60# Matte Litho WN/Z2010/44#PK
B5792	Fasson® 60# Matte Litho WN/Z2010/1.2 Mil PET
19298	Fasson® 60# Matte Litho Wet-Strength/AT20/44#PK
53460	Fasson® 60# Matte Litho WN/AT20/1.2 Mil PET
Glossy Papers	
19525	Fasson® 70# Premium High Gloss FSC®/AT20/1.2 Mil PET
B2504	Fasson® 60# Cast Gloss FSC®/AT20N/1.2 Mil PET
B5814	Fasson® 60# Cast Gloss FSC®/Z2010/1.2 Mil PET
19655	Fasson® 60# Semi-Gloss Elite™ WN FSC®/AT20N/1.2 Mil PET
B5797	Fasson® 60# Semi-Gloss Elite™ FSC®/Z2010/1.2 Mil PET
B7185	Fasson® 54# Semi-Gloss Wet-Strength FSC®/C4500/40#PK
B5585	Fasson® 70# Premium High Gloss FSC®/Z2010B/1.2M PET
Films	
B7764	Fasson® 2 Mil Metallized BOPP TC/ S7000ER/1.2 Mil PET
79113	Fasson® 2 Mil Clear BOPP TC/Z3300/1.2 Mil PET
B8019	Fasson® High Performance FasClear® TC/S7000ER/1.2 Mil Polyester
B7735	Fasson® High Performance PRIMAX® TC/S7000ER/1.2 Mil Polyester
HP Indigo Press Printable	
B8854	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC® ITC/Z2010/44#PK
B8850	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® ITC/Z2010/44#PK
53338	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® ITC/AT20N/1.2 Mil PET
B8852	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC® ITCZ2010/44#PK
B8853	Fasson® 60# Classic Crest® Solar White Wet-Strength FSC® ITC/Z2010/44#PK
53102	Fasson® 60# Matte Litho Wet-Strength ITC/AT20/44#PK
B8856	Fasson® 70# Bright White Felt Wet-Strength FSC® ITC/Z2010B/44#PK
53384	Fasson® 70# Royal White FSC® ITC/Z2010/1.2 Mil PET
B8858	Fasson® 70# Eggshell Felt FSC® ITC/Z2010B/1.2 Mil PET

For more information and lead times, visit label.averydennison.com/wineandspirits

Spec#	Product Description
Laminated Foils and Metallized Papers	
B5854	Fasson® 70# Bright Silver Laminated Foil FSC®/Z2010/44#PK
19902	Fasson® 70# Bright Silver Laminated Foil FSC®/AT20N/1.2 Mil PET
53459	Fasson® 70# Dull Silver Laminated Foil FSC®/AT20/1.2 Mil PET
B5796	Fasson® 56# MaxFlex™ Bright Silver FSC®/Z2010/44#PK
53352	Fasson® 56# MaxFlex™ Bright Silver FSC®/AT20/40#SCK
53380	Fasson® 56# MaxFlex™ Bright Silver FSC®/AT20/1.0 Mil PET
53381	Fasson® 56# MaxFlex™ Bright Silver FSC®/AT20/1.2 Mil PET
B5798	Fasson® 56# MaxFlex™ Bright Silver FSC®/Z2010/1.2 Mil PET
Welded Papers	
B8894	Fasson® 60# Uncoated Litho Wet-Strength FSC® Weld/Z2010/1.2 Mil PET
53007	Fasson® 60# Uncoated Litho Wet-Strength FSC® Weld/AT20N/1.2 Mil PET
53933	Fasson® 60# Estate Label® No. 4 Wet-Strength FSC® Weld/AT20N 1.2 Mil PET
B5823	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® Weld/Z2010B/1.2 Mil PET
53476	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® Weld/AT20N/1.2 Mil PET
B5583	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® Weld/Z2010B/1.2 Mil PET
18523	Fasson® 60# Estate Label® No. 8 Wet-Strength FSC® Weld/AT20N/44#PK
B5819	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC® Weld/Z2010B/44#PK
53817	Fasson® 60# Estate Label® No. 9 Wet-Strength FSC® Weld/AT20N/1.2 Mil PET
53898	Fasson® 60# Classic® Linen Solar White Wet-Strength FSC® Weld/AT20N/44#PK
53942	Fasson® 60# Classic Crest® Natural White Wet-Strength FSC® Weld/AT20N/1.2 Mil PET
B5806	Fasson® 60# Classic® Laid Wet-Strength FSC® Weld/Z2010/44# PK
B5576	Fasson® 70# Bright White Felt Wet-Strength FSC® Weld/Z2010B/1.2 Mil PET
B5820	Fasson® 70# Bright White Felt Wet-Strength FSC® Weld/Z2010B/44#PK
53945	Fasson® 70# Premium High Gloss FSC® Weld/AT20N/1.2 Mil PET
53926	Fasson® 60# Matte Litho WN Weld/AT20N/44#PK
53837	Fasson® 67# Brushed Platinum Wet-Strength/PET Weld /AT20N/1.2 Mil PET
54236	Fasson® 60# Classic Crest® Solar White FSC® Weld/AT20/1.2 Mil PET
79708	Fasson® 60# Semi Gloss FSC® Weld/AT20/1.2 Mil PET
79742	Fasson® 60# Estate #9 Wet Strength FSC® Weld/AT20N/1.2 Mil PET

For our full line wine labeling offerings, please visit our website or speak with your Avery Dennison Sales Representative.

label.averydennison.com

A389996 01/2024

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison products are sold subject to Avery Dennison's general terms and conditions of sale found at label.averydennison.com/en/home/terms-and-conditions.html.



© 2024 Avery Dennison Corporation. All rights reserved. Avery Dennison® is a registered trademark of Avery Dennison Corporation. Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation.